




This diagram is an exploded view of a complex mechanical assembly, likely a pump or engine component. It shows the main housing, internal shafts, pistons, and various fasteners. Each part is identified by a blue circular callout containing a number. The assembly is shown in a disassembled state to illustrate the relationship between components. The callout numbers include: 2.000, 2.001, 2.002, 2.003, 2.004, 2.005, 2.006, 2.007, 2.008, 2.009, 2.010, 2.011, 2.012, 2.013, 2.014, 2.015, 2.016, 2.017, 2.018, 2.019, 2.020, 2.021, 2.022, 2.023, 2.024, 2.025, 2.026, 2.027, 2.028, 2.029, 2.030, 2.031, 2.032, 2.033, 2.034, 2.035, 2.036, 2.037, 2.038, 2.039, 2.040, 2.041, 2.042, 2.043, 2.044, 2.045, 2.046, 2.047, 2.048, 2.049, 2.050, 2.051, 2.052, 2.053, 2.054, 2.055, 2.056, 2.057, 2.058, 2.059, 2.060, 2.061, 2.062, 2.063, 2.064, 2.065, 2.066, 2.067, 2.068, 2.069, 2.070, 2.071, 2.072, 2.073, 2.074, 2.075, 2.076, 2.077, 2.078, 2.079, 2.080, 2.081, 2.082, 2.083, 2.084, 2.085, 2.086, 2.087, 2.088, 2.089, 2.090, 2.091, 2.092, 2.093, 2.094, 2.095, 2.096, 2.097, 2.098, 2.099, 2.100, 2.101, 2.102, 2.103, 2.104, 2.105, 2.106, 2.107, 2.108, 2.109, 2.110, 2.111, 2.112, 2.113, 2.114, 2.115, 2.116, 2.117, 2.118, 2.119, 2.120, 2.121, 2.122, 2.123, 2.124, 2.125, 2.126, 2.127, 2.128, 2.129, 2.130, 2.131, 2.132, 2.133, 2.134, 2.135, 2.136, 2.137, 2.138, 2.139, 2.140, 2.141, 2.142, 2.143, 2.144, 2.145, 2.146, 2.147, 2.148, 2.149, 2.150, 2.151, 2.152, 2.153, 2.154, 2.155, 2.156, 2.157, 2.158, 2.159, 2.160, 2.161, 2.162, 2.163, 2.164, 2.165, 2.166, 2.167, 2.168, 2.169, 2.170, 2.171, 2.172, 2.173, 2.174, 2.175, 2.176, 2.177, 2.178, 2.179, 2.180, 2.181, 2.182, 2.183, 2.184, 2.185, 2.186, 2.187, 2.188, 2.189, 2.190, 2.191, 2.192, 2.193, 2.194, 2.195, 2.196, 2.197, 2.198, 2.199, 2.200, 2.201, 2.202, 2.203, 2.204, 2.205, 2.206, 2.207, 2.208, 2.209, 2.210, 2.211, 2.212, 2.213, 2.214, 2.215, 2.216, 2.217, 2.218, 2.219, 2.220, 2.221, 2.222, 2.223, 2.224, 2.225, 2.226, 2.227, 2.228, 2.229, 2.230, 2.231, 2.232, 2.233, 2.234, 2.235, 2.236, 2.237, 2.238, 2.239, 2.240, 2.241, 2.242, 2.243, 2.244, 2.245, 2.246, 2.247, 2.248, 2.249, 2.250, 2.251, 2.252, 2.253, 2.254, 2.255, 2.256, 2.257, 2.258, 2.259, 2.260, 2.261, 2.262, 2.263, 2.264, 2.265, 2.266, 2.267, 2.268, 2.269, 2.270, 2.271, 2.272, 2.273, 2.274, 2.275, 2.276, 2.277, 2.278, 2.279, 2.280, 2.281, 2.282, 2.283, 2.284, 2.285, 2.286, 2.287, 2.288, 2.289, 2.290, 2.291, 2.292, 2.293, 2.294, 2.295, 2.296, 2.297, 2.298, 2.299, 2.300, 2.301, 2.302, 2.303, 2.304, 2.305, 2.306, 2.307, 2.308, 2.309, 2.310, 2.311, 2.312, 2.313, 2.314, 2.315, 2.316, 2.317, 2.318, 2.319, 2.320, 2.321, 2.322, 2.323, 2.324, 2.325, 2.326, 2.327, 2.328, 2.329, 2.330, 2.331, 2.332, 2.333, 2.334, 2.335, 2.336, 2.337, 2.338, 2.339, 2.340, 2.341, 2.342, 2.343, 2.344, 2.345, 2.346, 2.347, 2.348, 2.349, 2.350, 2.351, 2.352, 2.353, 2.354, 2.355, 2.356, 2.357, 2.358, 2.359, 2.360, 2.361, 2.362, 2.363, 2.364, 2.365, 2.366, 2.367, 2.368, 2.369, 2.370, 2.371, 2.372, 2.373, 2.374, 2.375, 2.376, 2.377, 2.378, 2.379, 2.380, 2.381, 2.382, 2.383, 2.384, 2.385, 2.386, 2.387, 2.388, 2.389, 2.390, 2.391, 2.392, 2.393, 2.394, 2.395, 2.396, 2.397, 2.398, 2.399, 2.400, 2.401, 2.402, 2.403, 2.404, 2.405, 2.406, 2.407, 2.408, 2.409, 2.410, 2.411, 2.412, 2.413, 2.414, 2.415, 2.416, 2.417, 2.418, 2.419, 2.420, 2.421, 2.422, 2.423, 2.424, 2.425, 2.426, 2.427, 2.428, 2.429, 2.430, 2.431, 2.432, 2.433, 2.434, 2.435, 2.436, 2.437, 2.438, 2.439, 2.440, 2.441, 2.442, 2.443, 2.444, 2.445, 2.446, 2.447, 2.448, 2.449, 2.450, 2.451, 2.452, 2.453, 2.454, 2.455, 2.456, 2.457, 2.458, 2.459, 2.460, 2.461, 2.462, 2.463, 2.464, 2.465, 2.466, 2.467, 2.468, 2.469, 2.470, 2.471, 2.472, 2.473, 2.474, 2.475, 2.476, 2.477, 2.478, 2.479, 2.480, 2.481, 2.482, 2.483, 2.484, 2.485, 2.486, 2.487, 2.488, 2.489, 2.490, 2.491, 2.492, 2.493, 2.494, 2.495, 2.496, 2.497, 2.498, 2.499, 2.500, 2.501, 2.502, 2.503, 2.504, 2.505, 2.506, 2.507, 2.508, 2.509, 2.510, 2.511, 2.512, 2.513, 2.514, 2.515, 2.516, 2.517, 2.518, 2.519, 2.520, 2.521, 2.522, 2.523, 2.524, 2.525, 2.526, 2.527, 2.528, 2.529, 2.530, 2.531, 2.532, 2.533, 2.534, 2.535, 2.536, 2.537, 2.538, 2.539, 2.540, 2.541, 2.542, 2.543, 2.544, 2.545, 2.546, 2.547, 2.548, 2.549, 2.550, 2.551, 2.552, 2.553, 2.554, 2.555, 2.556, 2.557, 2.558, 2.559, 2.560, 2.561, 2.562, 2.563, 2.564, 2.565, 2.566, 2.567, 2.568, 2.569, 2.570, 2.57




|       |                   |           |
|-------|-------------------|-----------|
| 2,0   |                   |           |
| 2,001 | DGN360Z.05-00.2   | 201102016 |
| 2,002 | GB/T900-1988 8.8级 | G01104    |
| 2,003 | GB/T955-1987      | G03012    |
| 2,004 | GB/T41-1986       | G04012    |
| 2,005 | GB/T95-1985       | G02008    |
| 2,006 | GB/T818-1985      | G01084    |
| 2,007 | DGN360Z.05-30.1   | 201102017 |
| 2,008 | DGN360Z.05-33     | 201102018 |
| 2,009 | DGN360Z.05-64     | 201102019 |
| 2,010 | GB/T9877.1-1988   | G05015    |
| 2,011 | DGN360Z.05-59     | 201102020 |
| 2,012 | XZJ.01-12         | 201102021 |
| 2,013 |                   | 201102022 |
| 2,014 | GB/T1337-1988     | G04005    |
| 2,015 | DGN360Z.05-19     | 201102023 |
| 2,016 | GB/T5801-1994     | G08032    |
| 2,017 | DGN360Z.05-15     | 201102024 |
| 2,018 | DGN360Z.05-18     | 201102025 |
| 2,019 | DGN360Z.05-69     | 201102026 |
| 2,020 | GB/T9877.1-1988   | G05014    |
| 2,021 | GB/T276-1994      | G08023    |
| 2,022 | DGN360Z.05-63     | 201102027 |
| 2,023 | DGN360Z.05-32     | 201102028 |
| 2,024 | DGN360Z.05-21     | 201102029 |
| 2,025 | GB/T5801-1994     | G08031    |
| 2,026 |                   | G08034    |
| 2,027 | DGN360Z.05.01     | 201102030 |
| 2,028 | DGN360Z.05.02     | 201102031 |
| 2,029 | DGN360Z.05-12     | 201102032 |
| 2,030 | DGN360Z.05-01     | 201102033 |
| 2,031 | GB/T276-1994      | G08022    |
| 2,032 | GB/T5801-1994     | G08035    |
| 2,033 | DGN360Z.05-07     | 201102034 |
| 2,034 | DGN360Z.05-09     | 201102035 |
| 2,035 | DGN360Z.05-03     | 201102036 |
| 2,036 | DGN360Z.05-02     | 201102037 |
| 2,037 | DGN360Z.05-08     | 201102038 |
| 2,038 | DGN360Z.05-05     | 201102039 |
| 2,039 | DGN360Z.05-26     | 201102040 |
| 2,040 | DGN360Z.05-57     | 201102041 |
| 2,041 | DGN360Z.05-24     | 201102042 |
| 2,042 | DGN360Z.05-25     | 201102043 |
| 2,043 | DGN360Z.05-56     | 201102044 |
| 2,044 | GB/T276-1994      | G08021    |
| 2,045 | GB/T9877.1-1988   | G05011    |
| 2,046 | GB/T879-1986      | G11003    |
| 2,047 | DGN360Z.05-45     | 201102045 |
| 2,048 | DGN360Z.05-39     | 201102046 |
| 2,049 | DGN360Z.05-41     | 201102047 |
| 2,050 | GB/T3452.1-2005   | G05003    |
| 2,051 | DGN360Z.05-20.1   | 201102048 |
| 2,052 | DGN360Z.05-35     | 201102049 |
| 2,053 | DGN360Z.05-66     | 201102050 |
| 2,054 | GB/T894.1-1986    | G09011    |
| 2,055 | GB/T894.1-1986    | G09013    |
| 2,056 | GB/T900-1988 8.8级 | G01106    |
| 2,057 | GB/T119-1986      | G11008    |
| 2,058 |                   | G12004    |
| 2,059 | DGN360Z.05-23     | 201102051 |
| 2,060 | DGN360Z.05-58     | 201102052 |
| 2,061 | GB/T119-1986      | G11010    |
| 2,062 | GB/T2673-1986     | G01033    |
| 2,063 | DGN360Z.05-47     | 201102053 |
| 2,064 | DGN360Z.05-53     | 201102054 |
| 2,065 | GB/T91-2000       | G06003    |
| 2,066 | GB/T5780-1986     | G01006    |
| 2,067 | DGN360Z.05-46     | 201102055 |
| 2,068 | DGN360Z.05-52     | 201102056 |
| 2,069 | DGN360Z.05-50     | 201102057 |
| 2,070 | GB/T9877.1-1988   | G05010    |
| 2,071 | DGN360Z.05-28     | 201102058 |
| 2,072 | GB/T41-1986       | G04011    |
| 2,073 | DGN360Z.05-04     | 201102059 |
| 2,074 | DGN360Z.05-06     | 201102060 |
| 2,075 | DGN360Z.05-29     | 201102061 |

|                               |                 |          |
|-------------------------------|-----------------|----------|
| <b>Transmission Case Assy</b> |                 | <b>1</b> |
| Gear Case                     | AL308           | 1        |
| Bolt                          | M8×17           | 12       |
| Spring Washer                 | φ 8             | 23       |
| Hex Nut                       | M8              | 22       |
| Flat Washer                   | φ 6             | 6        |
| Screw with cross head         | M6×20           | 4        |
| Output Axle Cover             | ZL102           | 2        |
| Seal plate                    | 橡胶              | 2        |
| Cover                         | PA6-GF30        | 2        |
| FB Seal plate                 | φ 47× φ 25×10   | 2        |
| Pin                           | 40Cr , φ 10×36  | 2        |
| Bolt                          | M16×1.5×12      | 2        |
| Rubber Plate                  | φ 23× φ 16.2×3  | 2        |
| Nut                           | M8              | 1        |
| Screw with two tip            | 45#, M8X80      | 1        |
| Needle Bearing                | K18×14×17       | 1        |
| Gear                          | 20CrMnTi        | 1        |
| Axle                          | 20CrMnTi        | 1        |
| Seal Plate                    | 橡胶              | 1        |
| Seal plates                   | φ 47× φ 25×7    | 1        |
| Ball bearing                  | φ 52× φ 25×15   | 3        |
| Cover                         | 橡胶              | 2        |
| Output Axle                   | 20CrMnTi        | 1        |
| Gear                          | 20CrMnTi        | 1        |
| Needle Bearing Assy           | K17×12×13       | 2        |
| Needle Bearing                | AX1226          | 1        |
| Gear                          | 20CrMnTi        | 1        |
| Double Gear Assy              | 20CrMnTi+FZ2265 | 1        |
| Worm Rod                      | 20CrMnTi        | 1        |
| Axle                          | 20CrMnTi        | 1        |
| Ball Bearing                  | φ 47× φ 20×14   | 1        |
| Needle Bearing                | K21×15×12       | 1        |
| Gear with Spline              | 20CrMnTi        | 1        |
| Gear                          | 20CrMnTi        | 1        |
| Connection Cover              | PA6-GF30        | 4        |
| 3-position Shift              | 45#             | 1        |
| Gear                          | 20CrMnTi        | 1        |
| 2-position Shift              | 45#             | 1        |
| Connection Shaft              | Q235-A          | 2        |
| Gearshift Cover               | 橡胶              | 2        |
| Side Cover                    | ZL102           | 1        |
| Side cover 1                  | ZL102           | 1        |
| Gasket                        | 软钢纸板 φ 16       | 1        |
| Ball bearing                  | φ 40× φ 17×12   | 2        |
| FB Seal plate                 | φ 40× φ 17×7    | 1        |
| Spring Washer                 | φ 5×20          | 4        |
| shift control 2               | ZG40Mn2         | 2        |
| Connection Plate              | 45#             | 1        |
| Washer                        | 45#             | 1        |
| O rubber seal                 | φ 11.8× φ 2.65  | 1        |
| Gear Case Cover               | AL308           | 1        |
| Axle                          | 45#             | 1        |
| Ruber Pin                     | 橡胶              | 1        |
| Shaft Spring Collar           | φ 17(厚1.2)      | 1        |
| Shaft Spring Collar           | φ 19(厚1.2)      | 2        |
| Bolt with Double tips         | M8×27           | 7        |
| Pin                           | φ 6 (m6) ×12    | 2        |
| Steel Ball                    | φ 6.35          | 2        |
| Pression Spring               | 65Mn            | 2        |
| seal                          | 软钢纸板            | 2        |
| Pin                           | φ 6 (m6) ×30    | 2        |
| Screw with Countersunk head   | M8×16           | 4        |
| Connection Plate              | 45#             | 1        |
| connection plate 2            | 45#             | 1        |
| Cotter Pin                    | φ 2×12          | 2        |
| Hex Head Bolt                 | M8×16           | 1        |
| Axle                          | 45#             | 1        |
| Connection Shaft              | 45#             | 1        |
| ConnectionPlate 1             | 45#             | 1        |
| FB seal Plate                 | φ 19× φ 12×5    | 2        |
| Axle                          | 45#             | 1        |
| Nut                           | M6              | 2        |
| Axle                          | 45#             | 1        |
| Axle                          | 20CrMnTi        | 1        |
| 2-gearshift control           | ZG40Mn2         | 1        |

|       |                   |           |
|-------|-------------------|-----------|
| 2,076 | DGN360Z.05-65     | 201102062 |
| 2,077 | DGN360Z.05-16     | 201102063 |
| 2,078 | DGN360Z.05-17     | 201102064 |
| 2,079 | GB/T78-1985       | G01038    |
| 2,080 | DGN360Z.05-68     | 201102065 |
| 2,081 | DGN360Z.05-67     | 201102066 |
| 2,082 | GB/T67-1985       | G01090    |
| 2,083 | DGN360Z.05-51     | 201102067 |
| 2,084 |                   | 201102068 |
| 2,085 | GB/T1337-1988     | G01004    |
| 2,086 | GB/T95-1985       | G02004    |
| 2,087 |                   | 201102069 |
| 2,088 | DGN360Z.05.00-06  | 201102070 |
| 2,089 | DGN360Z.05.00-05  | 201102071 |
| 2,090 | DGN360Z.05.00-04  | 201102072 |
| 2,091 | DGN360Z.05.00-02  | 201102073 |
| 2,092 | DGN360Z.05.00-03  | 201102074 |
| 2,093 | GB/T894.1-1986    | G09016    |
| 2,094 | DGN360Z.05.00-01  | 201102075 |
| 2,095 | DGN360Z.05.00-07  | 201102076 |
| 2,096 | DGN360Z.05.00-00  | 201102077 |
| 2,097 | GB/T3452.1-2005   | G05002    |
| 2,098 | DGN360Z.05.03-01  | 201102078 |
| 2,099 | DGN360Z.05.03-00  | 201102079 |
| 2,100 | DGN360Z.05.07-00  | 201102080 |
| 2,101 | DGN360Z.05.07-01  | 201102081 |
| 2,102 | DGN360Z.05.04     | 201102082 |
| 2,109 | DGN360Z.05-48     | 201102088 |
| 2,110 | GB/T95-1985       | G02003    |
| 2,111 | DGN360Z.05.04-05R | 201102149 |
| 2,112 | DGN360Z.05.04-06R | 201102150 |
| 2,113 | DGN360Z.05.04-04R | 201102151 |
| 2,114 | GB/T6172-1986     | G04015    |
| 2,115 | DGN360Z.01.00     | 201102099 |


|                      |                        |   |
|----------------------|------------------------|---|
| Gasket               | φ 5                    | 1 |
| Friction Disc 1      | φ 30× φ 20.2×0.3/0.5/1 |   |
| Friction Disc 2      | φ 30× φ 20.2×2         | 1 |
| Screw                | M6×8                   | 1 |
| Washer               | φ 13.8× φ 8.2×0.2、 0.3 |   |
| Washer               | φ 23× φ 14.2×0.3       | 1 |
| Bolt                 | M5×6                   | 1 |
| Cover                | 45#                    | 1 |
| Washer               | AS1226 δ=2.75          | 2 |
| Nut                  | M10                    | 2 |
| Flat Washer          | φ 5                    | 2 |
| Spacer Shim          | φ 25× φ 12.5×0.3/0.5   |   |
| Cover                | 20#                    | 1 |
| Worm Wheel           | ZQSn6-6-3              | 1 |
| Friction Plate       | φ 35× φ 25.2×0.3       | 2 |
| Flat Key             | 45#                    | 1 |
| Clutch               | 20CrMnTi               | 1 |
| Shaft Spring Collar  | φ 25                   | 3 |
| Washer               | φ 42× φ 25.2×2         | 1 |
| Presson Spring       | 65Mn                   | 1 |
| Worm Shaft           | 40Cr                   | 1 |
| O seal               | φ 9.5× φ 2.65          | 3 |
| Oil indicator        | Q235-A                 | 1 |
| Oil Indicator handle | PA6-GF30               | 1 |
| Pipe                 | PA6-GF30               | 1 |
| Axle                 | ABS                    | 1 |
| Connection Cover     | 45#                    | 1 |
| Screw                | 45#                    | 2 |
| Washer               | φ 8                    | 1 |
| Pin                  | 40Cr                   | 1 |
| Pressure Spring      | 82B                    | 1 |
| Bolt Base            | 20#                    | 1 |
| Nut                  | M8                     | 1 |
| Handle               | PA6-GF30               | 1 |





|       |                  |           |
|-------|------------------|-----------|
| 3,0   |                  | 201102302 |
| 3,001 | GB/T5780-1986    | G01049    |
| 3,002 | DGN360Z.10.00-01 | 201102089 |
| 3,003 |                  | 201102090 |
| 3,004 | DGN360Z.10.00-02 | 201102091 |
| 3,005 | GB/T95-1985      | G02002    |
| 3,006 | GB/T6170-1986    | G04001    |
| 3,007 |                  | 201102092 |

|                        |        |          |
|------------------------|--------|----------|
| <b>Left Wheel Assy</b> |        | <b>1</b> |
| Hex Bolt               | M10×20 | 3        |
| Metal Wheel            | Q235-A | 1        |
| Tire                   | 1.00-8 | 1        |
| wheel                  | Q235-A | 1        |
| Flat Washer            | φ 10   | 3        |
| Hex Nut                | M10    | 3        |
| Rubber Wheel           | 1.00-8 | 1        |

TOTAL :








|                                          |               |   |
|------------------------------------------|---------------|---|
| Handle Assy                              |               | 1 |
| Clutch Control Wire ( control implement) |               | 1 |
| Tube                                     |               | 1 |
| Wire Connector                           |               | 2 |
| Left and Right Handle                    | Q235-A        | 1 |
| Clutch Control Wire                      |               | 1 |
| Steel Wire Sheath                        |               | 1 |
| Switch Assy                              |               | 1 |
| Handle Sheath                            | 橡塑            | 2 |
| Screw                                    | M4×5          | 2 |
| Nut                                      | M6            | 3 |
| Steel Wire                               |               | 1 |
| Wire Sheath                              |               | 1 |
| Steel Wire                               |               | 1 |
| Steel Wire Sheath                        |               | 1 |
| Screw                                    | 45#           | 3 |
| Nut                                      | M8            | 3 |
| Steel Wire Sheath                        | 45#           | 1 |
| Washer                                   | 65Mn          | 2 |
| Nut                                      | M8            | 2 |
| Screw                                    | M5×20         | 2 |
| Nut                                      | M5            | 2 |
| Washer                                   | φ 6           | 1 |
| Screw                                    | M6×20         | 2 |
| Spring Washer                            | φ 8           | 2 |
| Locating ring                            | 65Mn(两孔一样大)   | 1 |
| Locating ring                            | 65Mn (一孔大一孔小) | 1 |
| Torsion Spring                           | 60Si2MnA      | 1 |
| Clutch Control Rod                       | Q235-A        | 1 |
| Screw                                    | M6×55         | 1 |
| Holding Pin                              | 无缝管           | 1 |
| Handle Assembly Base                     | ZL104         | 1 |
| ring                                     | 钢丝            | 1 |
| STOP Control Handle                      | Q235-A        | 1 |
| Holding pin                              | 无缝管           | 1 |
| Torsion Spring                           | 60Si2MnA      | 1 |
| Screw with hex socket                    | M6×35         | 1 |
| Clutch Control Rod                       | Q235-A+ABS    | 1 |
| Screw                                    | 45#、 M8 X 16  | 2 |
| Plate                                    | Q235-A        | 2 |
| Cotter Pin                               | φ 2×12        | 2 |
| Flat Washer                              | φ 8           | 4 |
| Hex Nut                                  | M8            | 2 |
| Clutch Control Rod (for worm wheel)      | Q235-A+ABS    | 1 |
| Countersink Hex Bolt                     | M6×60         | 1 |
| Cap                                      | PA6-GF30      | 1 |
| Pression Spring                          | 65Mn          | 1 |
| Speed Control Handle                     | PA6-GF30      | 1 |
| Handle Base                              | PA6-GF30      | 1 |
| Gearshift Rod                            | Q235-A        | 1 |
| Gearshift Rod                            | Q235-A        | 1 |
| Screw with Square neck                   | M10×70        | 2 |
| Locking Nut                              | M10           | 2 |
| Cotter Pin                               | 65Mn、 φ 1.8   | 2 |

|    |                  |           |
|----|------------------|-----------|
| 13 | DGN360.00-03     | 201102139 |
| 14 | DGN360Z.00-15    | 201102140 |
| 15 |                  | 201102141 |
| 16 | GB/T955-1987     | G03012    |
| 17 | GB/T95-1985      | G02003    |
| 18 | DGN360Z.05-40    | 201102142 |
| 19 | GB/T894.1-1986   | G09003    |
| 20 | GB/T41-1986      | G04012    |
| 21 | DGN360Z.05-38    | 201102143 |
| 22 |                  | 201102144 |
| 23 | DGN360Z.05-60    | 201102145 |
| 24 | GB/T93-1987      | G03001    |
| 25 | GB/T5780-1986    | G01050    |
| 26 | DGN360Z.05-05-71 | 201102146 |
| 27 | GB/T2672-1986    | G01020    |
| 28 | DGN360Z.00-02    | 201102147 |
| 29 | GB/T1337-1988    | G04005    |
| 30 | DGN360Z.05-37    | 201102148 |
|    |                  |           |

|                        |                      |   |
|------------------------|----------------------|---|
| Connection Cover       | PA6-GF30             | 2 |
| Wire Cap               | 35#                  | 3 |
| Washer                 | φ 35× φ 25.2×1       | 2 |
| Spring Washer          | φ 8                  | 6 |
| Flat Washer            | φ 8                  | 8 |
| Pin                    | 45#, φ5×14.5         | 1 |
| Shaft Spring Collar    | φ 5                  | 1 |
| Hex Bolt               | M8                   | 6 |
| Connector              | Q235-A               | 1 |
| Bandage                | 3×150                | 3 |
| Washer                 | 45# , φ 32× φ 10.5×5 | 2 |
| Spring Washer          | φ 10                 | 2 |
| Hex Bolt               | M10×25               | 2 |
| Spring base            | 45#                  | 1 |
| Screw with Socket head | M8×45                | 4 |
| Locking Plate          | Q235-A               | 2 |
| Nut                    | M8                   | 4 |
| Spring                 | 65Mn                 | 1 |
|                        | TOTAL :              |   |

yellow color parts indicate easy-wear parts



## TI360

| No. | Drawing NO.     | Parts NO. |
|-----|-----------------|-----------|
| 1   | DGN360ST.00-01  | 201105001 |
| 2   | DGN360ST.00-02  | 201105002 |
| 3   | DGN360ST.00-03  | 201105003 |
| 4   | DGN360ST.00-04  | 201105004 |
| 5   | DGN360ST.00-07  | 201105005 |
| 6   | DGN360ST.00-09  | 201105006 |
| 7   | DGN360ST.00-10  | 201105007 |
| 8   | DGN360ST.00.01  | 201105008 |
| 9   | DGN360ST.00.02  | 201105009 |
| 10  | GB/T276-1994    | G08037    |
| 11  | GB/T276-1994    | G08022    |
| 12  | GB/T276-1994    | G08023    |
| 13  |                 | 201102022 |
| 14  | GB/T9877.1-1988 | G05013    |
| 15  | GB/T9877.1-1988 | G05017    |
| 16  | GB/T894.1-1986  | G09009    |
| 17  | GB/T894.1-1986  | G09014    |
| 18  | GB/T893.1-1986  | G10009    |
| 19  | GB/T93-1987     | G03002    |
| 20  | GB/T1337-1988   | G04005    |
| 21  | GB/T5780-1986   | G01006    |
| 22  | GB/T5780-1986   | G01045    |
| 23  | XZJ.01-12       | 201102021 |
| 24  | SDJ-05-00-05    | 201105010 |
| 25  | SDJ-05-00-06    | 201105011 |
| 26  | SDJ-05-00-08    | 201105012 |
| 27  | ZST-05          | 201105013 |
| 28  | ZST-06          | 201105014 |
| 29  | DGN360ST.05.01  | 201105015 |
| 30  | DGN360ST.05.02  | 201105016 |
| 31  | DGN360ST.05.03  | 201105017 |
| 32  | DGN360ST.05.05  | 201105018 |
| 33  | DGN360ST.05.04  | 201105019 |


| Parts name in English | Spec.                               | Qty |
|-----------------------|-------------------------------------|-----|
| gearbox               | RUT340                              | 1   |
| gear shaft            | 20CrMnTi                            | 1   |
| Bevel Gear            | 20CrMnTi                            | 1   |
| bevel gear shaft      | 20CrMnTi                            | 1   |
| sealing gasket        | 软钢纸板                                | 1   |
| connetor 2            | 20CrMnA                             | 1   |
| washer                | 65Mn                                | 1   |
| case cover            | Q235-A                              | 1   |
| Connection Support    | Q235-A                              | 1   |
| Bearing 6004-2RS      | $\phi 42 \times \phi 20 \times 12$  | 1   |
| Bearing 6204          | $\phi 47 \times \phi 20 \times 14$  | 1   |
| Bearing 6205          | $\phi 52 \times \phi 25 \times 15$  | 2   |
| Rubber washer         | $\phi 23 \times \phi 16.2 \times 3$ | 1   |
| FB Seal plate         | $\phi 42 \times \phi 20 \times 10$  | 1   |
| FB Seal plate         | $\phi 52 \times \phi 25 \times 7$   | 2   |
| Shaft Spring Collar   | $\phi 12$                           | 1   |
| Shaft Spring Collar   | $\phi 20$                           | 1   |
| Hole Spring Collar    | $\phi 52$                           | 2   |
| Spring Washer         | $\phi 8$                            | 4   |
| Hex Nut               | M8                                  | 36  |
| Hex Bolt              | M8×16                               | 12  |
| Hex Bolt              | M8×30                               | 4   |
| filler opening screw  | M16×1.5×12                          | 1   |
| seat pad              | 45#                                 | 1   |
| Sport                 | 45#                                 | 1   |
| Spring                | 60Si2MnA                            | 1   |
| Blade 1               | 65Mn                                | 12  |
| Blade 2               | 65Mn                                | 12  |
| Cover                 | Q235-A                              | 1   |
| Right Cover 1         | Q235-A                              | 1   |
| Left Cover 1          | Q235-A                              | 1   |
| Right Cover board     | Q235-A                              | 1   |
| Left Cover board      | Q235-A                              | 1   |

|    |                     |           |
|----|---------------------|-----------|
| 34 | DGN360ST.06-01 (03) | 201105020 |
| 35 | GB/T5780-1986       | G01004    |
| 36 | GB/T5780-1986       | G01130    |
| 37 | GB/T95-1985         | G02003    |
| 38 | GB/T95-1985         | G02001    |
| 39 | GB/T1337-1988       | G04016    |
| 40 | DGN360ST.06-02      | 201105021 |
| 41 | GB/T93-1987         | G03006    |
| 42 | GB/T6170-1986       | G04009    |
| 43 | GB/T3452.1-2005     | G05008    |
| 44 | DGN360ST.04.01      | 201105022 |
| 45 | DGN360ST.01.01      | 201105023 |
| 46 | DGN360ST.02.01      | 201105024 |
| 47 | DGN360ST.03.01      | 201105025 |
| 48 | DGN360ST.05.06      | 201105026 |

|                       |                |    |
|-----------------------|----------------|----|
| Holding Pin           | 45#(L=595、385) | 1  |
| Hex Bolt              | M8×25          | 24 |
| Hex Bolt              | M12×65         | 1  |
| Flat washer           | φ 8            | 16 |
| Flat washer           | φ 12           | 1  |
| Hex Nut               | M12            | 1  |
| Hexagonal Washer      | 45#            | 1  |
| Spring Washer         | φ 12           | 1  |
| Hex Nut               | M12            | 1  |
| O type rubber seal    | φ 45×2.65      | 1  |
| left blade support 2  | Q235-A         | 1  |
| left blade support 1  | Q235-A         | 1  |
| right blade support 1 | Q235-A         | 1  |
| right blade support 2 | Q235-A         | 1  |
| long junction plate   | Q235-A         | 1  |









## GC360

| No. | Drawing NO.   | Parts NO. |
|-----|---------------|-----------|
| 1   | XZJ-06        | 201106001 |
| 2   | GB/T2672-1986 | G01018    |
| 3   | GB/T5287-1985 | G02007    |
| 4   | XZJ-07        | 201106002 |
| 5   | GB/T95-1985   | G02008    |
| 6   | GB/T93-1987   | G03003    |
| 7   | GB/T6170-1986 | G04008    |
| 8   | XZJ-05        | 201106003 |
| 9   | GB/T93-1987   | G03002    |
| 10  | GB/T95-2002   | G02003    |
| 11  | GB/T6170-1986 | G04002    |
| 12  | XZJ-03        | 201106004 |
| 13  | GB/T5780-1987 | G01005    |

| Parts name in English | Spec.         | Qty |
|-----------------------|---------------|-----|
| shield of gearbox     | A3            | 1   |
| bolt                  | M6×25         | 6   |
| washer                | φ 24× φ 6.3×2 | 6   |
| rubber washer         | 橡胶            | 12  |
| flat washer           | φ 6           | 6   |
| spring washer         | φ 6           | 6   |
| nut                   | M6            | 6   |
| support of big shield | A3            | 1   |
| spring Washer         | φ 8           | 8   |
| flat washer           | φ 8           | 8   |
| nut                   | M8            | 4   |
| junction plate        | A3            | 1   |
| bolt                  | M8×20         | 2   |





|        |                 |           |
|--------|-----------------|-----------|
| 14,0   |                 | 201106200 |
| 14,001 | GB/T894.1-1986  | G09009    |
| 14,002 | DGN360ST.00-10  | 201105007 |
| 14,003 | XZJ.02-03       | 201106005 |
| 14,004 | SDJ-05-00-08    | 201105012 |
| 14,005 | SDJ-05-00-06    | 201105010 |
| 14,006 | SDJ-05-00-05    | 201105011 |
| 14,007 | GB/T894.1-1986  | G09014    |
| 14,008 | GB/T276-1994    | G08037    |
| 14,009 | XZJ.02-01       | 201106006 |
| 14,010 | GB/T5780-1987   | G01050    |
| 14,011 | GB/T93-1987     | G03001    |
| 14,012 | GB/T95-1985     | G02002    |
| 14,013 | GB/T9877.1-1988 | G05019    |
| 14,014 | GB/T276-1994    | G08024    |
| 14,015 | XZJ.02-02       | 201106007 |
| 14,016 | XZJ.01-10       | 201106008 |
| 14,017 | GB/T899-1988    | G01110    |
| 14,018 |                 | 201102022 |
| 14,019 | XZJ.01-12       | 201102021 |
| 14,020 | GB/T5801-1994   | G08030    |
| 14,021 | GB/T9877.1-1988 | G05018    |
| 14,022 | XZJ.01-01       | 201106009 |
| 14,023 | XZJ.01-05       | 201106010 |
| 14,024 | GB/T899-1988    | G01112    |
| 14,025 | XZJ.01-11       | 201106011 |
| 14,026 | GB/T67-1985     | G01092    |
| 14,027 | XZJ.01-14       | 201106012 |
| 14,028 | XZJ.01-03       | 201106013 |
| 14,029 | XZJ.01-04       | 201106014 |
| 14,030 | XZJ.01-02       | 201106015 |
| 14,031 | GB/T276-1994    | G08027    |
| 14,032 | XZJ.01-15       | 201106016 |
| 14,033 | XZJ.01-07       | 201106017 |
| 14,034 | GB/T70-1985     | G01028    |
| 15     | GB/T5780-1987   | G01004    |
| 16     | XZJ-08          | 201106018 |
| 17     | XZJ.01-08       | 201106019 |
| 18     | XZJ.01-09       | 201106020 |

|                     |                |   |
|---------------------|----------------|---|
| gearbox assy        |                | 1 |
| washer on shaft     | φ 12           | 1 |
| washer              | 65Mn           | 1 |
| function connection | 20CrMnA        | 1 |
| spring              | 60Si2MnA       | 1 |
| washer              | 45#            | 1 |
| heel                | 45#            | 1 |
| washer on shaft     | φ 20           | 1 |
| bearing             | φ 42× φ 20×12  | 1 |
| connector support   | ZG40Cr1        | 1 |
| bolt                | M10×25         | 4 |
| spring washer       | φ 10           | 4 |
| flat washer         | φ 10           | 4 |
| fasket              | φ 47× φ 30×7   | 1 |
| bearing             | φ 72× φ 30×19  | 1 |
| spline shaft        | 20CrMn         | 1 |
| sealing gasket      | 无石棉耐油橡胶板       | 1 |
| double-end bolt     | M8×20          | 4 |
| rubber blanket      | φ 23× φ 16.2×3 | 1 |
| oil inlet screw     | M16×1.5×12     | 1 |
| bearing             | φ 45× φ 35×20  | 1 |
| gasket              | φ 45× φ 35×7   | 1 |
| swing arm           | ZG40Cr1        | 1 |
| gearbox             | QT450-10       | 1 |
| double-end bolt     | M10×22         | 5 |
| gasket seal         | 无石棉耐油橡胶板       | 1 |
| screw               | M6×10          | 1 |
| flat key            | 45#            | 1 |
| wheel support       | ZG40Cr1        | 1 |
| wheel               | QSn7-0.2       | 1 |
| baffle of support   | 45#            | 1 |
| bearing             | φ 47× φ 20×14  | 1 |
| nut                 | 45#            | 1 |
| sealing gasket      | 无石棉耐油橡胶板       | 1 |
| bolt                | M8×20          | 4 |
| Bolt                | M8×25          | 2 |
| lever               | A3             | 1 |
| screw               | 40Cr           | 1 |
| gasket              | A3             | 1 |

|    |               |           |
|----|---------------|-----------|
| 19 | XZJ.01-16     | 201106021 |
| 20 | XZJ-02        | 201106022 |
| 21 | XZJ-01        | 201106023 |
| 22 | XZJ.03        | 201106024 |
| 23 | GB/T1337-1988 | G04004    |
| 24 | XZJ.03-06     | 201106025 |
| 25 | XZJ-04        | 201106026 |
|    |               |           |

|              |         |   |
|--------------|---------|---|
| nut          | 45#     | 1 |
| silder       | 40Cr    | 1 |
| support      | ZG40Cr1 | 1 |
| cutter       |         | 1 |
| blade assy   | M10     | 5 |
| blade cover  | PP      | 1 |
| small shield | A3      | 1 |
| TOTAL :      |         |   |














## DB360


| No. | Drawing NO.     | Parts NO. |
|-----|-----------------|-----------|
| 1   | 360TXJ-05-01    | 201108001 |
| 2   | SDJ-05-03       | 201109008 |
| 3   | DGN360Z.06-01   | 201109007 |
| 4   | GB/T879-1986    | G11001    |
| 5   | SDJ-05-00-09    | 201109011 |
| 6   | SDJ-05-00-10    | 201109010 |
| 7   | SDJ-05-00-14    | 201109012 |
| 8   | SDJ-05-00-13    | 201109009 |
| 9   | GB/T6183-1986   | G04018    |
| 10  | 360TXJ-04-01    | 201108002 |
| 11  | GB/T95-1985     | G02002    |
| 12  | GB/T93-1987     | G03001    |
| 13  | GB/T5780-1986   | G01050    |
| 14  | 360TXJ-02-01    | 201108003 |
| 15  | 360TXJ-01-01    | 201108004 |
| 16  | GB/T5780-1986   | G01004    |
| 17  | GB/T96-1985     | G02014    |
| 18  | GB/T1337-1988   | G04005    |
| 19  | 360TXJ-03-01-02 | 201108005 |
| 20  | 360TXJ-03-01-01 | 201108006 |
| 21  | GB/T95-1985     | G02003    |
| 22  | GB/T2673-1986   | G01033    |

| Parts name in English | Spec.      | Qty |
|-----------------------|------------|-----|
| cylinder assy         | 45#        | 1   |
| ripping bar           | 45#        | 1   |
| handle cover          | PA6-GF30   | 1   |
| round pin             | φ 4×20     | 1   |
| screw                 | 45#        | 1   |
| screw                 | 45#        | 1   |
| spring                | 碳素弹簧钢丝     | 1   |
| bolt                  | 45#        | 1   |
| nut                   | M8         | 1   |
| junction plate        | Q235-A     | 1   |
| Flat washer           | φ 10       | 4   |
| Spring Washer         | φ 10       | 4   |
| screw                 | M10×25     | 4   |
| adjusting plate assy  | Q235-A     | 2   |
| shovel assy           | Q235-A     | 1   |
| Bolt                  | M8×25      | 2   |
| washer                | φ 20×φ 8×2 | 6   |
| Nut                   | M8         | 8   |
| ring                  | 碳素弹簧钢丝     | 1   |
| plastic shovel        | PA6-GF30   | 1   |
| Flat washer           | φ 8        | 6   |
| screw                 | M8×16      | 6   |









## SW360

| No. | Drawing NO.    | Parts NO. |
|-----|----------------|-----------|
| 1   | GB/T894.1-1986 | G09009    |
| 2   | DGN360ST.00-10 | 201105007 |
| 3   | DGN360Z.05-34  | 201109001 |
| 4   | SDJ-05-00-08   | 201105012 |
| 5   | SDJ-05-00-06   | 201105010 |
| 6   | SDJ-05-00-05   | 201105011 |
| 7   | SDJ-05-00-02   | 201109002 |
| 8   | GB/T894.1-1986 | G09014    |
| 9   | GB/T276-1994   | G08006    |
| 10  | SDJ-05-02      | 201109003 |
| 11  | SDJ-05-00-01   | 201109004 |
| 12  | GB/TT879-1986  | G11005    |
| 13  | SDJ-05-0-03    | 201109005 |
| 14  | GB/TT879-1986  | G11002    |
| 15  | SDJ-05-00-04   | 201109006 |
| 16  | GB/T5780-1986  | G01045    |
| 17  | GB/T93-1987    | G03002    |
| 18  | GB/T95-1985    | G02003    |
| 19  | DGN360Z.06-01  | 201109007 |
| 20  | SDJ-05-03      | 201109008 |
| 21  | GB/T6183-1986  | G04017    |
| 22  | GB/T95-1985    | G02008    |
| 23  | SDJ-05-00-13   | 201109009 |
| 24  | SDJ-05-00-10   | 201109010 |
| 25  | SDJ-05-00-09   | 201109011 |
| 26  | GB/T879-1986   | G11001    |
| 27  | SDJ-05-00-14   | 201109012 |
| 28  | SDJ-05-01      | 201109013 |
| 29  | SDJ-06-01-01   | 201109014 |
| 30  | GB/T1337-1988  | G04006    |
| 31  | SDJ-06-01-03   | 201109015 |

| Parts name in English | Spec.         | Qty |
|-----------------------|---------------|-----|
| washer on shaft       | φ 12          | 1   |
| washer                | 65Mn          | 1   |
| connetor              | 20CrMnTi      | 1   |
| spring                | 碳素弹簧钢丝        | 1   |
| washer                | 45#           | 1   |
| seat pad              | 45#           | 1   |
| spline shaft          | 20CrMnTi      | 1   |
| washer on shaft       | φ 20          | 2   |
| bearing               | φ 42× φ 20×12 | 2   |
| round bush B          | 45#           | 1   |
| universal coupling    | WSD5          | 1   |
| round pin             | φ 6×36        | 2   |
| connect bush          | 45#           | 1   |
| round pin             | φ 4×35        | 1   |
| spline housing        | 45#           | 1   |
| bolt                  | M8×30         | 8   |
| spring washer         | φ 8           | 18  |
| flat washer           | φ 8           | 14  |
| handle cover          | PA6-GF30      | 1   |
| ripping bar           | 45#           | 1   |
| nut                   | M6            | 1   |
| flat washer           | φ 6           | 5   |
| pin                   | 45#           | 1   |
| hexagonal screw B     | 45#           | 1   |
| hexagonal screw A     | 45#           | 1   |
| pin                   | φ 4×20        | 1   |
| spring                | 碳素弹簧钢丝        | 1   |
| fixed joint plate     | 45#           | 1   |
| flat hairbrush        |               | 1   |
| nut                   | M6            | 4   |
| fixed bend slice      | 45#           | 1   |

|    |                 |           |
|----|-----------------|-----------|
| 32 | SDJ-06-01-02    | 201109016 |
| 33 | SDJ-06-01-04    | 201109017 |
| 34 | GB/T2672-1986   | G01017    |
| 35 | GB/T2672-1986   | G01019    |
| 36 | GB/T1337-1988   | G04005    |
| 37 | GB/T5780-1986   | G01004    |
| 38 | SDJ-04-00-07    | 201109018 |
| 39 | SDJ-04-00       | 201109019 |
| 40 | SDJ-02-0-06     | 201109020 |
| 41 | GB/T276-1994    | G08026    |
| 42 | GB/T9877.1-1988 | G05023    |
| 43 | GB/T276-1994    | G08038    |
| 44 | SDJ-02-00-01    | 201109021 |
| 45 | SDJ.02-00       | 201109022 |
| 46 | SDJ01-00-05     | 201109023 |
| 47 | SDJ-01-00-01    | 201109024 |
| 48 | SDJ-01-00-02    | 201109025 |
| 49 | SDJ-01-00-04    | 201109026 |
| 50 | GB/T276-1994    | G08023    |
| 51 | GB/T893.1-1986  | G10009    |
| 52 | GB/T9877.1-1988 | G05017    |
| 53 | SDJ-01-02       | 201109027 |
| 54 | GB/T5780-1986   | G01003    |
| 55 | SDJ-01-01-02    | 201109028 |
| 56 | SDJ-01-01       | 201109029 |
| 57 | SDJ-01-02-02    | 201109030 |
| 58 | GB/T95-1985     | G02001    |
| 59 | GB/T1337-1988   | G04016    |
| 60 | XZJ.01-12       | 201102021 |
| 61 |                 | 201102022 |
| 62 | SDJ-01-00-03    | 201109031 |
| 63 | SDJ-03-00-01    | 201109032 |
| 64 | GB/T5780-1986   | G01005    |
| 65 | SDJ-03-00       | 201109033 |
| 66 | SDJ-03-00-07    | 201109034 |
| 67 | SDJ-03-01       | 201109035 |
| 68 | SDJ-03-00-05    | 201109036 |
| 69 | GB/T955-1987    | G03012    |
| 70 | SDJ-03-00-09    | 201109037 |
| 71 | GB/T6170-1986   | G04009    |
| 72 | SDJ-03-00-06    | 201109038 |
| 73 | SDJ-03-02       | 201109039 |
| 74 | SDJ-03-04       | 201109040 |


|                           |                |    |
|---------------------------|----------------|----|
| fixed flat slice          | 45#            | 1  |
| clamp piece               | 45#            | 4  |
| screw                     | M6×20          | 4  |
| screw                     | M8×16          | 10 |
| nut                       | M8             | 6  |
| bolt                      | M8×25          | 10 |
| fixed block               | 45#            | 1  |
| housing assy              |                | 1  |
| spacer shim A             | 65Mn           | 4  |
| bearing                   | φ 37× φ 20×9   | 1  |
| FB Seal plate             | φ 35× φ 20×7   | 1  |
| bearing                   | φ 47× φ 20×14  | 1  |
| helical gear shaft        | 20CrMnTi       | 1  |
| helical gear bearing base | QT450-10       | 1  |
| oil seal paper            | 橡胶耐油无棉板        | 1  |
| gearbox                   | ZL107          | 1  |
| bevel gear shaft          | 20CrMnTi       | 1  |
| combine                   | 45#            | 1  |
| bearing                   | φ 52× φ 25×15  | 2  |
| hole Spring Collar        | φ 52           | 2  |
| FB Seal plate             | φ 52× φ 25×7   | 2  |
| hexagon bar iron          |                | 2  |
| bolt                      | M8×40          | 2  |
| pin                       | 45#            | 2  |
| rattler hairbrush         |                | 2  |
| corona A                  | 45#            | 2  |
| flat washer               | φ 12           | 2  |
| nut                       | M12            | 2  |
| filler opening screw      | M16×1.5×12     | 1  |
| rubber washer             | φ 23× φ 16.2×3 | 1  |
| bevel gear                | 20CrMnTi       | 1  |
| truckle assy              |                | 2  |
| bolt                      | M8×20          | 2  |
| truckle support           |                | 1  |
| seat pad                  | 45#            | 1  |
| square iron               |                | 2  |
| bracing piece             | 45#            | 2  |
| spring washer             | φ 8            | 4  |
| hand wheel                | PA6-GF30       | 1  |
| nut                       | M12            | 1  |
| angle iron                | 45#            | 1  |
| support plate             |                | 1  |
| screw rod                 | 45#            | 1  |











## RGC360

| No. | Drawing NO.    | Parts NO. |
|-----|----------------|-----------|
| 1   | GCJ360-01-01   | 201107001 |
| 2   | GCJ360-01-02   | 201107002 |
| 3   | GCJ360-01-03   | 201107003 |
| 4   | GCJ360-01-04   | 201107004 |
| 5   | DGN360Z.05-34  | 201109001 |
| 6   | SDJ-05-00-05   | 201105011 |
| 7   | SDJ-05-00-06   | 201105010 |
| 8   | SDJ-05-00-08   | 201105012 |
| 9   | DGN360ST.00-10 | 201105007 |
| 10  | DGN360ST.01-10 | 201107005 |
| 11  | GB/T276-1994   | G08006    |
| 12  | GB/T894.1-1986 | G09009    |
| 13  | GB/T894.1-1986 | G09014    |
| 14  | GB/T95-1985    | G02002    |
| 15  | GB/T93-1987    | G03001    |
| 16  | GB/T6170-1986  | G04023    |
| 17  | GCJ360-02-01   | 201107006 |
| 18  | GCJ360-02-02   | 201107007 |
| 19  | GCJ360-02-03   | 201107008 |
| 20  | GCJ360-02-04   | 201107009 |
| 21  | GCJ360-02-05   | 201107010 |
| 22  | GCJ360-02-06   | 201107011 |
| 23  | GCJ360-02-07   | 201107012 |
| 24  | GCJ360-02-08   | 201107013 |
| 25  | GCJ360-02-09   | 201107014 |
| 26  | GCJ360-02-10   | 201107015 |
| 27  | GB/T276-1994   | G08013    |
| 28  | GB/T95-1985    | G02003    |
| 29  | GB/T93-1987    | G03002    |
| 30  | GB/T5780-1986  | G01005    |

| Parts name in English                   | Spec.                              | Qty |
|-----------------------------------------|------------------------------------|-----|
| bearing base for main transmissin shaft | A3                                 | 1   |
| main driving axle                       | 20CrMn                             | 1   |
| gear                                    | 20CrMn                             | 2   |
| bush C                                  | 45#                                | 1   |
| connetor                                | 20CrMnTi                           | 1   |
| seat pad                                | 45#                                | 1   |
| washer                                  | 65Mn                               | 1   |
| spring                                  | 碳素弹簧钢丝                             | 1   |
| washer                                  | 65Mn                               | 1   |
| spacer shim                             | $\phi 20 \times 0.3, 0.5$          | 2   |
| bearing                                 | $\phi 42 \times \phi 20 \times 12$ | 2   |
| Shaft Spring Collar                     | $\phi 12$                          | 1   |
| Shaft Spring Collar                     | $\phi 20$                          | 1   |
| flat washer                             | $\phi 10$                          | 7   |
| spring washer                           | $\phi 10$                          | 5   |
| nut                                     | M10 $\times$ 1.25-左                | 4   |
| main bearing base                       | ZL108                              | 2   |
| main gearbox                            | ZL108                              | 3   |
| case cover                              | 45#                                | 2   |
| gear                                    | 20CrMn                             | 1   |
| gear                                    | 20CrMn                             | 1   |
| gear                                    | 20CrMn                             | 1   |
| bush A                                  | 45#                                | 1   |
| spacer shim A                           | $\phi 10 \times 0.2, 0.5$          | 4   |
| spacer shim B                           | $\phi 16 \times 0.2, 0.5$          | 4   |
| hard paper washer A                     | 钢纸片                                | 2   |
| bearing                                 | $\phi 47 \times \phi 17 \times 14$ | 8   |
| flat washer                             | $\phi 8$                           | 78  |
| spring washer                           | $\phi 8$                           | 64  |
| bolt                                    | M8 $\times$ 20                     | 56  |

|    |                |           |
|----|----------------|-----------|
| 31 | GCJ360-03-01   | 201107016 |
| 32 | GCJ360-03-02   | 201107017 |
| 33 | GCJ360-03-03   | 201107018 |
| 34 | GCJ360-03-04   | 201107019 |
| 35 | GCJ360-03-05   | 201107020 |
| 36 | GCJ360-03-06   | 201107021 |
| 37 | GB/T894.1-1986 | G09010    |
| 38 | GB/T893.1-1986 | G10008    |
| 39 | GCJ360-02-09   | 201107022 |
| 40 | GB/T6170-1986  | G04010    |
| 41 | GCJ360-04-01   | 201107023 |
| 42 | GCJ360-04-02   | 201107024 |
| 43 | GB/T879-1986   | G11001    |
| 44 | GCJ360-04-03   | 201107025 |
| 45 | GCJ360-04-04   | 201107026 |
| 46 | GCJ360-05-01   | 201107027 |
| 47 | GCJ360-05-02   | 201107028 |
| 48 | GCJ360-05-03   | 201107029 |
| 49 | GCJ360-05-04   | 201107030 |
| 50 | GCJ360-05-05   | 201107031 |
| 51 | GCJ360-05-06   | 201107032 |
| 52 | GCJ360-05-07   | 201107033 |
| 53 | GCJ360-05-08   | 201107034 |
| 54 | GCJ360-05-09   | 201107035 |
| 55 | SDJ-03-00-05   | 201107036 |
| 56 | GCJ360-05-10   | 201107037 |
| 57 | GB/T91-2000    | G06004    |
| 58 | GB/T1337-1988  | G04005    |
| 59 | GB/T1337-1988  | G04006    |
| 60 | GB/T96-1985    | G02006    |
| 61 | GB/T95-1985    | G02008    |
| 62 | GB/T93-1987    | G03003    |
| 63 | GB/T5780-1986  | G01004    |
| 64 | GB/T5780-1986  | G01047    |
| 65 | GB/T5780-1986  | G01003    |
| 66 | GB/T5780-1986  | G01115    |
|    |                |           |

|                     |              |    |
|---------------------|--------------|----|
| vice-gearbox        | ZL108        | 2  |
| vice-gearbox base   | ZL108        | 2  |
| gear                | 20CrMn       | 1  |
| gear                | 20CrMn       | 1  |
| bush B              | 45#          | 2  |
| hard paper washer B | 钢纸片          | 2  |
| shaft spring collar | Φ 16         | 2  |
| hole spring collar  | Φ 47         | 2  |
| spacer shim B       | Φ 16×1       | 2  |
| nut                 | M10×1.25     | 1  |
| blade               | 40Cr         | 8  |
| pin                 | 45#          | 8  |
| round pin           | Φ 4×20       | 8  |
| metal plate         | Q235-A       | 2  |
| overlay             | Q235-A       | 2  |
| front support       | Q235-A       | 1  |
| rear support        | Q235-A       | 1  |
| iron backplate      | Q235-A       | 1  |
| soft plate          | 软玻璃          | 1  |
| scaleboard          | Q235-A       | 1  |
| bracing piece A     | 20#          | 1  |
| bracing piece B     | 20#          | 2  |
| facing bar          | Q235-A       | 2  |
| bush D              | 45#          | 4  |
| knob                | PA6-GF30     | 2  |
| adjusting screw rod | 45#          | 2  |
| cotter              | Φ 3×35       | 2  |
| nut                 | M8           | 9  |
| nut                 | M6           | 5  |
| big washer          | Φ 24×Φ 8.5×2 | 4  |
| flat washer         | Φ 6          | 12 |
| spring washer       | Φ 6          | 2  |
| bolt                | M8×25        | 8  |
| bolt                | M8×35        | 5  |
| bolt                | M8×40        | 4  |
| bolt                | M6×16        | 7  |
|                     |              |    |







